

DAFTAR PUSTAKA

- [1] Arif Widiyanto, Intan Nurfitri, Pradipta Mahatidana, Tomy Abuzairi, N. R. Poespawati and Purnamaningsih., “Weight monitoring system for newborn incubator application,” *Proc. Fifth Int. Conf. Body Area Networks - BodyNets '10*, no. June 2014, p. 188, 2018.
- [2] A. Junaidi, “INTERNET OF THINGS, SEJARAH, TEKNOLOGI DAN PENERAPANNYA : REVIEW,” vol. I, no. 3, pp. 62–66, 2015.
- [3] A. S. Otorala, C. Andrés, Q. Molano, O. Mauricio, and L. Tovar, “Design and implementation of a prototype for neonatal intensive care incubator with fuzzy controller,” vol. 8, no. 8, pp. 677–686, 2013.
- [4] A. W. Kale, A. H. Raghuvanshi, P. S. Narule, P. S. Gawatre, and S. B. Surwade, “Arduino Based Baby Incubator Using GSM Technology,” *Int. Res. J. Eng. Technol.*, vol. 5, no. 4, pp. 462–465, 2018.
- [5] C. Montella, “The Kalman Filter and Related Algorithms : A Literature Review The Kalman Filter and Related Algorithms A Literature Review,” no. May 2011, 2014.
- [6] E. Sorongan, Q. Hidayati, and K. Priyono, “ThingSpeak sebagai Sistem Monitoring Tangki SPBU Berbasis Internet of Things,” vol. 3, no. 2, pp. 219–224, 2018.

- [7] M. M. Ali, M. M. Abdelwahab, and S. D. Awadekreim, "Fuzzy Logic Control of the Air Temperature in the Infant Incubator," vol. 4, no. 1, pp. 65–69, 2016.
- [8] M. S. Arif Setiawan, Laila Katriani, M.Si., Denny Darmawan, "Rancang Bangun Prototype Sistem Kontrol Temperatur Menggunakan Sensor DS18B20 Pada Inkubator Bayi," 2013.
- [9] M. T. Reddy and R. K. Mohan, "Applications of IoT: A Study," no. November, pp. 1–3, 2018.
- [10] I. G. Eka, W. Putra, I. K. P. Suniantara, and I. N. S. Kumara, "Implementasi dan Analisis Perangkat Pengirim Data Sensor melalui Modul A6 GSM / GPRS berbasis Microcontroller," no. September, 2017.
- [11] J. E. Lawn, R. Davidge, V. K. Paul, S. Von Xylander, J. D. G. Johnson, and A. Costello, "Born Too Soon: Care for the preterm baby. Reproductive Health," *Reprod. Health*, vol. 10, no. Suppl 1, pp. 1–19, 2013.
- [12] J. R. Grosholz and J. D. Wallace, *Infant Incubator*. 2013.
- [13] R. Debriand, M. Doloksaribu, and I. Damanik, "RANCANG BANGUN TIMBANGAN LOAD CELL TIPE S DESIGN OF WEIGHT SENSOR LOAD CELL TYPE S," no. 2010, 2016.
- [14] S. Sarawi, M. Anbar, K. Alieyan, M. S. Alzubaidi, and F. Crowd, "Internet of Things (IoT) Communication Protocols : Review," no. July, 2017.

- [15] S. W. Sitorus, A. Sudrajat, and K. R. L, “Rancang Bangun Load Cell Kapasitas 20 kN Untuk Beban Kerja Tarik dan Tekan,” vol. 21, no. 1, pp. 15–23, 2018.
- [16] S. WAHYUNI, *Mikrokontroller*. 2015.
- [17] T. M. Tukade and R. M. Banakar, “Data Transfer Protocols in IoT-An Overview,” vol. 118, no. 16, pp. 121–138, 2018.
- [18] T. Yokotani and Y. Sasaki, “Comparison with HTTP and MQTT on Required Network Resources for IoT,” pp. 0–5, 2016.
- [19] P. C. Riau and H. M. Saputra, “Perbandingan Average Filter dengan Hanning Filter pada Pengolahan Sinyal Load Perbandingan Average Filter dengan Hanning Filter pada Pengolahan Sinyal Load Cell,” no. November, 2016.
- [20] W. S. Pambudi, I. Suhendra, J. Teknik, E. Universitas, and I. Batam, “Perbaikan Respon Output Menggunakan Implementasi Kalman Filter Pada Simulasi,” pp. 141–150, 2015.